Patient A	
Capability	Deficit
Stamina	10%
Balance	30%
Reaction	10%
Mobility in left	60%
lower leg	
Strength in left	80%
lower leg	

<u>Fig. 1</u>

Patient A		Capability prerequisites		
Therapy module	Target	Capability 1	Capability 2	
	capability			
	receiving	-		
	therapy			
Ergometer training	Capability 1	Not	Not relevant	
		relevant		
Balance exercise	Capability 2	Min. 60%	Not relevant	
Reaction training	Capability 3	Not	Min. 30%	
package A from		relevant		
computer training				
by company Y				
Exercise No. 32	Capability 4	Not	Not relevant	
from exercise series		relevant		
Z (mobility in				
lower leg)			·	
Exercise No. 64	Capability 5	Not	Min. 90%	
from exercise series		relevant		
Z (strength in lower		<u> </u>		
leg)				

<u>Fig. 2</u>

Patient A	Status information for therapy modules					
Therapy module	Not relevant	Exercises already prescribed (active or complete)	Useful further exercise options (enabled)	Future useful therapy options (each disabled at present)	Reason for disabling	
Ergometer training	\times					
Balance exercise		\times				
Reaction training package A from computer training by company Y					,	
Exercise No. 32 from exercise series Z (mobility in lower leg)			X			
Exercise No. 64 from exercise series Z (strength in lower leg)						
Exercise No. 100 from exercise series X (movement in knee)					Wound from operation	
	$\geq \leq$					
	$\geq \leq$					
••••						

Fig. 3

